

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	18	"709"/203.ccls. and ((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	144	(Server\$1 client\$1) and (ASP (Active-Server- Page\$1)) with language with file\$1	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	62620	template\$1 and ((generat\$3 OR creat\$3 OR develop\$3 execut\$3 run compil\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) and HTML xML WML	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	15	"715"/234.ccls. and ((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	3	"707"/102.ccls. and ((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	366	((generat\$3 OR creat\$3 OR develop\$4) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L7	332	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND (GUI OR CIG OR interface\$1)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	134	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
9	BRS	L12	12320	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L16	12320	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1) with hotmail)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
11	BRS	L17	2254	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1) with hotmail) same file\$1	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
12	BRS	L19	62687	((generat\$3 OR creat\$3 OR develop\$3 execut\$3 run compil\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) and HTML xML WML	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L20	62620	template\$1 and ((generat\$3 OR creat\$3 OR develop\$3 execut\$3 run compil\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) and HTML xML WML	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L10	3	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3 AND (byte-code\$1 OR (byte ADJ1 code\$1))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L11	3	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3 AND (byte-code\$1 OR (byte ADJ1 code\$1)) AND (GUI OR CIG OR interface\$1)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
16	BRS	L14	5	HTML and (ISAP (Internet-service-Application-Programming-Interface))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
17	BRS	L15	2	(Server\$1 client\$1) and (ASP (Active-Server-Page\$1)) with Hotmail	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	L18	5	(HTML xML WML)and (ISAP or (Internet-service-Application-Programming-Interface))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
19	BRS	L9	125	((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3 AND (GUI OR CIG OR interface\$1)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	Dbs
20	BRS	L13	113	L12 and ((generat\$3 OR creat\$3 OR develop\$3) SAME (webpage\$1 OR web-page\$1)) AND (ASP\$1 OR (Active NEAR3 Server NEAR3 Page\$1)) AND compil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB
21	BRS	L21	434	((Active adj1 Server adj1 Page) or ASP) same (compil\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB